



**TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.**  
**Technical and Test Institute for Construction Prague, SOE**

Akreditované zkušební laboratoře, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgány, Inspekční orgán / Accredited Testing Laboratories, Authorized Body, Notified Body, Technical Assessment Body, Certification Bodies, Inspection Body • Prosecká 811/76a, Prosek, 190 00 Praha 9, Czech Republic

Notified Body 1020

## **CERTIFICATE OF CONSTANCY OF PERFORMANCE**

No. 1020 – CPR – 090-058414

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

**PSF Chemical Anchor Polyester Styrene Free Injection anchor**  
**Bonded anchor with anchor rod made of galvanized steel or stainless steel of sizes M8, M10 and M12,**  
**for use in masonry**

placed on the market under the name or trade mark of

**Bostik Benelux BV**  
Debariusstraat 11, NL-4903 RC Oosterhout

and produced in the manufacturing plant:

**Bostik Benelux BV**  
Manufacturing Plant I

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in the

**ETA-23/0074, issued on 14/02/2023**

and

**EAD 330076-00-0604**


under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by manufacturer is assessed to ensure the

**constancy of performance of the construction product.**

This certificate was first issued on 20<sup>th</sup> March 2023 and will remain valid as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020

Prague, 20<sup>th</sup> March, 2023



Martin Pešek  
Deputy manager of the Notified Body